COLOMBO


AQUATEST TESTLAB PROFESSIONAL

Instruction Manual • Mode d'Emploi • Gebrauchsanweisung • Gebruiksaanwijzing

pH	KH	GH	NH_3	NO_2	NO_3	PO_4
Acidity	Carbonate Hardness	General Hardness	Ammonia	Nitrite	Nitrate	Phosphate

EASY · PRECISE · 7x 40 TESTS


pH – Acidity



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ General	✔ Discus & Plants	✔ Tanganyika & Malawi cichlids
pH 7.0 - 8.0	pH 6.0 - 7.0	pH 8.0 - 8.5


KH – Carbonate Hardness



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ General	✔ Discus & Plants	✔ Tanganyika & Malawi cichlids
KH 6 - 8 °DH	KH 1 - 4 °DH	KH 8 - 10 °DH


GH – General Hardness



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ General	✔ Discus & Plants	✔ Tanganyika & Malawi cichlids
GH 8 - 12 °DH	GH 4 - 8 °DH	GH 10 - 14 °DH


NH_3 – Ammonia



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ Safe	✔ Alert	Caution
< 0,5 mg/l	0,5 - 1 mg/l	> 1 mg/l


NO_2 – Nitrite



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ Safe	✔ Alert	Caution
< 0,5 mg/l	0,5 - 1 mg/l	> 1 mg/l


NO_3 – Nitrate



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ Ideal	✔ High	✔ Too high
< 50 mg/l	50 - 100 mg/l	> 100 mg/l

PO_4 – Phosphate



Ideal value/Idealwerte/Valeur idéale/Ideale waarde

✔ Ideal	✔ High	✔ Too high
< 1 mg/l	1 - 2,5 mg/l	> 2,5 mg/l



pH



pH • GH
NH3-1 • NH3-3
PO4-1 • PO4-2



NO3-3

Colombo B.V., Franse Akker 7, 4824 AL, Breda, The Netherlands
Tel: +31 (0)76-3038727, E-mail: info@colombo.nl, www.colombo.nl